

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(laser or lasers or beam or beams) and ((cement\$4 or concrete\$4) and ((cut \$4) with (depth or depths or depthness or depthnesse))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:52
		((((laser or lasers or beam or beams) and ((cement\$4 or concrete\$4) and (cut \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/01/15 18:47
		((((laser or lasers or beam or beams) and ((cement\$4 or concrete\$4) and (cut \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:47
		((((laser or lasers or beam or beams) and ((cement\$4 or concrete\$4) and ((cut \$4) with (depth\$4 or depthness or thickness\$4 or thick or width or width))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:46
		((((laser or lasers or beam or beams) with (unfocused or unfocus\$4 or (not adj2 focu\$4))) and ((cement\$4 or concrete\$4) and ((cut \$4) with (depth\$4 or depthness or thickness\$4 or thick or width or width))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:46

		((laser or lasers or beam or beams) with (unfocused or unfocus\$4 or (not adj2 focu\$4))) and ((cement\$4 or concrete\$4) same ((cut\$4) with (depth \$4 or depthness or thickness\$4 or thick or width or width))))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:46
		((laser or lasers or beam or beams) with (unfocused or unfocus\$4 or (not adj2 focu\$4))) same (cement\$4 or concrete\$4) same ((cut\$4) with (depth \$4 or depthness or thickness\$4 or thick or width or width))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:26
		S190 and (mm or milimeters or milimeter))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:11
		S190 and ((S183 or ten) adj2 (mm or milimeters or milimeter))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:10
		((S183 or ten) with (mm or milimeters or milimeters))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:37
		((S183 or ten) adj2 (mm or milimeters or milimeters))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:37
		S183 and ((S183 or ten) adj2 (mm or milimeters or milimeters))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:37

		S183 and ((S183 or ten) adj2 (mm or millimeters or millimeters))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:36
S175	362	B23k26/14.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 17:15
S176	1081	B23K26/38.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/15 17:15
S177	624	(219/121.8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:15
S178	1112	(219/121.84).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:15
S179	4436	((219/121.67) or (219/121.68) or (219/121.72) or (219/121.69)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:15
S180	770	((219/121.65) or (219/121.66)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:15
S181	7210	(S175 or S176 or S180 or S179 or S178 or S177)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:15

S182	3743	((219/121.6) or (219/121.85)).CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:25
S183	344	((laser or lasers or beam or beams) with (cut\$4) with (depth \$4 or deep or deepness or depthness or (deep adj ness) or (depth adj ness))) and (S181 or S182)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:34
S184	185	S183 and (mm or millimeters or millimeters)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:35
S185	185	S183 and (mm or millimeters or millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:38
S186	34	S183 and (cement\$4 or concrete\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:51
S187	21	S186 and (mm or millimeters or millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 17:52
S188	327	((laser or lasers or beam or beams) with (cut\$4) with (depth \$4 or deep or deepness or depthness or (deep adj ness) or (depth adj ness))) and (cement\$4 or concrete\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:08

S189	327	((laser or lasers or beam or beams) with (cut\$4) with (depth \$4 or deep or deepness or depthness or (deep adj ness) or (depth adj ness))) and (cement\$4 or concrete\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:08
S190	6405	((laser or lasers or beam or beams) and ((cut\$4) with (depth \$4 or deep or deepness or depthness or (deep adj ness) or (depth adj ness) or thickness or thick\$4)) and (cement\$4 or concrete\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:09
S191	3780	S190 and (mm or millimeters or millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:11
S192	856	S191 and (solidification or solidify or solidi\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:14
S193	693	S192 and (melt\$4 or molten or molt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:14
S194	9	S193 and (S181 or S182)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:16
S195	7	("3134010").URPN.	USPAT	OR	OFF	2010/01/15 18:22
S196	3	"6605798"	USPAT	OR	OFF	2010/01/15 18:23
S197	3	("5366522").PN. OR ("6605798").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/15 18:23

S198	46164	(laser or lasers or beam or beams) and (cement\$4 or concrete\$4) and (cut \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:47
S199	19964	S198 and (mm or millimeters or millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:53
S200	18494	S199 and (depth or depths or depthness or thickness or thick or width or widths)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:53
S201	145	S200 and (S181 or S182)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:55
S202	37	S199 and ((molten or molt\$4) with (depth or depths or depthness))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 18:56
S203	2	S199 and ((molten or molt\$4) with (solidification or solidify or solidif\$4) with (suction\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 19:03
S204	246	S198 and (S182 or S181)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 19:03
S207	281	S200 and (diode with (speeds or rates or ranges or range))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 19:12

S208	562	S200 and (diode with (speeds or rates or ranges or range or region))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 19:12
S209	418	S200 and ((carbon adj dioxide) with (speeds or rates or ranges or range or region))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 19:27
S210	179	S200 and ((power adj density) with (speeds or rates or ranges or range or region))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 19:28
S211	2	S200 and (diode with "150" with (speeds or rates or ranges or range or region))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 19:40
S212	0	"L27" and (diode with ("100" or (one adj hundred) or (hundred)) with (speeds or rates or ranges or range or region))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/15 21:18
S213	46164	(laser or lasers or beam or beams) and (cement\$4 or concrete\$4) and (cut \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/16 18:51
S214	19964	S213 and (mm or millimeters or millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/16 18:51
S215	18494	S214 and (depth or depths or depthness or thickness or thick or width or widths)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/16 18:51

S216	30	S215 and (diode with ("100" or (one adj hundred) or (hundred)) with (speeds or rates or ranges or range or region))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/16 18:51
S217	4	S215 and ((power adj density) with (speeds or rates or ranges or range or region) with ("300" or "3000" or (three adj hundred) or (three adj thousand)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/16 18:52

1/ 16/ 2010 8:02:27 PM

C:\Documents and Settings\mclark1\My Documents\EAST\Workspaces\ 10 528822
recovered.wsp updated.wsp